



## Virtalähde 24VDC, 2A, 48W (14224)

Virtalähde joka sopii esimerkiksi kynsiuunille. EU ja TUV hyväksytty. Tarkista sopivuus omaan uuniisi asiakaspalvelustamme.

Jännite 24VDC

Virta 2A

Liitäntä: 2.1/5.5 ( plus keskellä )

IP20

Hyväksynnot

Low Voltage Directive 2014/35/EU

EN 61558-2-16:2009+A1

EN 61558-1:2005+A1

EN IEC 61558-1:2019

Tämä virtalähde sopii esimerkiksi Ocho Nails Kynsiuuni 84W / 42 LED malleihin, tuotekoodit 12933 ja 12934.



## VAROITUKSET

Älä käytä tätä laitetta kylpyammeen, suihkun, altaan tai muun vettä sisältävän astian lähellä. Kun laitetta käytetään kylpyhuoneessa, irrota se pistorasiasta käytön jälkeen, koska veden läheisyys aiheuttaa vaaraa myös laitteen ollessa sammutettuna.

Lapset joiden ikä on 8 vuotta tai yli ja henkilöt, joilla on rajoitettu fyysinen, aistinvarainen, henkinen ominaisuus tai kokemuksen ja tiedon puute saavat käyttää tätä laitetta ainoastaan, jos heitä valvotaan tai heitä on opastettu laitteen turvalliseen käyttöön ja he ymmärtävät laitteen käytössä esiintyvät vaarat. Lapset eivät saa leikkiä laitteella. Lapset eivät saa suorittaa puhdistamista ja käyttäjän huoltotoimenpiteitä ilman valvontaa.

## TAKUU

Tuotteella on yhden (1) vuoden takuu. Takuu kattaa laitteen takuuajana esiin tulevat valmistusvirheet. Takuu ei kata normaalia laitteen kulumista ja siitä johtuvia vikoja. Tuotteita täytyy käyttää ohjeiden mukaisesti ja laitteen ylikuormittaminen ei ole takuun alainen vika. Laitteet pitää puhdistaa säännöllisesti, koska lika lyhentää tuotteen käyttöikää. Jos laitetta käytetään ammattikäytössä, takuuajana on puolet normaalista takuuajasta. Takuu ei sisällä tuotteen toimituskuluja takuuhuoltoon vaan asiakkaan täytyy maksaa toimituskulut itse tai tuoda laite myymäläämme huoltoon. Takuuhuollon jälkeen tuote toimitetaan asiakkaalle takaisin edullisimmalla tavalla.

## HÄVITTÄMINEN

Tuotetta ei saa hävittää kotitalousjätteen mukana. Toimita tuote sähkö- ja elektroniikkaromun keräyspisteeseen paikallisten ohjeiden mukaisesti.

## HUOLTO JA ASIAKASPALVELU

Vikatilanteissa, takuuasioissa ja huoltotarpeissa ota yhteyttä maahantuojaan. Älä käytä vaurioitunutta tuotetta.

## MAAHANTUOJA:

CH Nails Oy

Ollilantie 1, 90440 Kempele

asiakaspalvelu@kynsitukku.com





## Power Supply Haihong 24V/2A, 48W, 2.1/5.5 mm Plug (14224)

Strömförsörjning som passar till exempel för nagelugnar. Godkänd av EU och TUV, Kontrollera lämpligheten för din egen ugn via vår kundtjänst.

Spänning 24VDC

Ström 2A

Anslutning: 2.1/5.5 ( plus i mitten )

IP20

Godkännanden

Lågspänningsdirektiv 2014/35/EU

EN 61558-2-16:2009+A1

EN 61558-1:2005+A1

EN IEC 61558-1:2019

Denna strömförsörjning passar till exempel Ocho Nails Kynsiuuni 84W / 42

LED modeller, produktkoder 12933 och 12934.



### VARNINGAR

Använd inte apparaten nära badkar, dusch, handfat eller andra kärl som innehåller vatten. När apparaten används i badrum, dra ur kontakten efter användning eftersom närheten till vatten utgör en fara även när apparaten är avstängd.

Barn från 8 år och personer med nedsatt fysisk, sensorisk eller mental förmåga eller bristande erfarenhet och kunskap får endast använda apparaten om de övervakas eller har fått instruktioner om säker användning av apparaten och förstår de risker som användningen innebär. Barn får inte leka med apparaten. Barn får inte utföra rengöring eller användarunderhåll utan tillsyn.

### GARANTI

Produkten har ett (1) års garanti. Garantin täcker tillverkningsfel som uppstår under garantitiden. Garantin täcker inte normalt slitage eller fel som beror på slitage. Produkten ska användas enligt anvisningarna och överbelastning omfattas inte av garantin. Apparaten ska rengöras regelbundet eftersom smuts förkortar produktens livslängd. Vid professionell användning är garantitiden hälften av den normala garantitiden. Garantin omfattar inte fraktkostnader till garantiservice; kunden betalar frakten själv eller lämnar produkten till vår butik för service. Efter garantiservice returneras produkten på det förmånligaste sättet.

### AVFALLSHANTERING

Produkten får inte kasseras med hushållsavfall. Lämna produkten till en lämplig insamlingsplats för el- och elektronikavfall enligt lokala anvisningar.

### SERVICE OCH KUNDTJÄNST

Vid fel, garantifrågor eller behov av service, kontakta importören. Använd inte en skadad produkt.

### IMPORT:

CH Nails Oy

Ollilantie 1, 90440 Kempele

asiakaspalvelu@kynsitukku.com





**Test Report** No.UTL R24081353-2 Date: Aug.30, 2024 Password:PW4634  
Page: 1 of 14  
Applicant: HAIHONG ELECTRONICS CO.,LTD  
Address: Room 402, Building 3, No. 5 Xinxing Road, Jiaoshu Village, Dongkeng Town, Dongguan City,  
52300 Guangdong P.R. China

The following samples were submitted and identified on behalf of the clients as

Sample Name: AC ADAPTER  
Model No.: Please refer to next page  
Sample Received Date: Aug 27, 2024  
Test Period: Aug 27, 2024 to Aug 30, 2024  
Test Method: Please refer to next page(s) / P  
Test Result: PASS.

#### CONCLUSION :

According to client's request to conduct below tests in the selected parts of the submitted sample:

**TEST ITEM** **RESULT**  
1.RoHS Directive 2011/65/EU Annex II amending Annex(EU)2015/863 and amending Annex  
(EU)2017/2102  
-Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content **PASS**  
-Di(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate(DBP),  
Disobutyl phthalate(DIBP) Content **PASS**



Author: Shuangyao  
Title: Test Engineer  
For and on behalf of: Dongguan Universal Testing Technology Co., Ltd.  
Except for full test reproduction, part of the report should not be copied without the written approval of this laboratory. Our report includes all of the tests requested by client and the results based upon the information that you provided to us. The results in this report are not indicative of the quality or performance of the product tested. Dongguan Universal Testing Technology Co., Ltd. is not responsible for any damage or loss caused by the use of the product tested. Dongguan Universal Testing Technology Co., Ltd. is not responsible for any damage or loss caused by the use of the product tested. Dongguan Universal Testing Technology Co., Ltd. is not responsible for any damage or loss caused by the use of the product tested.  
Dongguan Universal Testing Technology Co., Ltd. Room 402, Building 3, No. 5 Xinxing Road, Jiaoshu Village, Dongkeng Town, Dongguan City, Guangdong province, China  
Website: <http://www.utl-lab.cn> Tel: +86 400-6652-789 E-mail: [utl@utl-lab.cn](mailto:utl@utl-lab.cn) Hotline: +86 13629128006

# User manual - English



## Power supply 24VDC, 2A, 48W (14224)

Power supply suitable for, for example, nail lamps. Approved by EU and TUV, check compatibility with your lamp through our customer service.

Voltage 24VDC

Current 2A

Connection: 2.1/5.5 (plus in the center)

IP20

Approvals

Low Voltage Directive 2014/35/EU

EN 61558-2-16:2009+A1

EN 61558-1:2005+A1

EN IEC 61558-1:2019

This power supply is suitable for Ocho Nails Kynsiuuni 84W / 42 LED models, product codes 12933 and 12934.



## WARNINGS

Do not use this appliance near a bathtub, shower, basin or any other vessel containing water. When the appliance is used in a bathroom, unplug it after use because proximity to water presents a hazard even when the appliance is switched off.

Children aged 8 years or over and persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, may use this appliance only if they are supervised or have been instructed in the safe use of the appliance and understand the hazards involved. Children must not play with the appliance. Children must not carry out cleaning or user maintenance without supervision.

## WARRANTY

The product has a one (1) year warranty. The warranty covers manufacturing defects that appear during the warranty period. The warranty does not cover normal wear and tear or faults caused by such wear. The product must be used according to the instructions, and overloading the device is not covered by the warranty. The device must be cleaned regularly because dirt shortens the product lifetime. If the product is used professionally, the warranty period is half of the normal warranty period. The warranty does not include shipping costs to warranty service; the customer must pay the shipping costs or bring the product to our store for service. After warranty service, the product will be returned to the customer using the most economical method.

## DISPOSAL

Do not dispose of the product with household waste. Take it to an appropriate collection point for electrical and electronic waste according to local instructions.

## SERVICE AND CUSTOMER SUPPORT

For faults, warranty questions or service needs, contact the importer. Do not use a damaged product.

## IMPORTER:

CH Nails Oy

Ollilantie 1, 90440 Kempele

[asiakaspalvelu@kynsitukku.com](mailto:asiakaspalvelu@kynsitukku.com)





## 1. Tuotteen tunnistenumero

Virtalähde 24VDC, 2A, 48W / 14224

## 2. Valmistajan tai valtuutetun edustajan nimi ja osoite

CH Nails Oy  
Ollilantie 1, 90440 Kempele  
p. +358-50-4153459  
asiakaspalvelu@kynsitukku.com

## 3. Vastuu

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

## 4. Vakuutuksen kohde

Virtalähde 24VDC, 2A, 48W / 14224

## 5. Sovellettava unionin yhdenmukaistamislainsäädäntö

Edellä kuvattu vakuutuksen kohde on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen.

## Direktiivit ja asetukset

TÜV, GS, RoHS, LVD

## 6. Käytetyt yhdenmukaistetut standardit tai tekniset eritelmät

Vaatimustenmukaisuusvakuutus perustuu alla lueteltuihin yhdenmukaistettuihin standardeihin tai muihin teknisiin eritelmiin.

EN IEC 61558-1:2019, EN IEC 61558-2-16:2021

## 7. Lisätietoja ja allekirjoitus

Puolesta allekirjoittanut: CH Nails Oy

Paikka ja aika: Kempele, 26.08.2025

Valtuutettu edustaja: CH Nails Oy

Allekirjoittajan nimi ja tititelli: Ari Hahto, Tekninen vastuuhenkilö

CH Nails Oy

CE

CERTIFICATE OF CONFORMITY  
Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 25SP06193L01  
Report No.: SP2506193L01  
Date Issue: 2025-07-29  
Applicant's name: HAIHONG ELECTRONICS CO., LTD  
Address: Room 101, No. 93, Shuibei Gao 4th Lane, Shijiaz Toun, Dongguan, Guangdong  
Manufacturer's name: HAIHONG ELECTRONICS CO., LTD  
Address: Room 101, No. 93, Shuibei Gao 4th Lane, Shijiaz Toun, Dongguan, Guangdong  
Product Description: SWITCHING ADAPTER  
Model(s)/Type Reference: See model list  
Parameters: Input: 100-240V~ 50/60Hz 1.5A Max.  
Output: 5.0-56.0Vdc, 0.01-5.0A, 65.0W Max  
Standard(s): EN IEC 61558-1:2019  
EN IEC 61558-2-16:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standard harmonized with the directives based on this verification at the time the tests were carried out. Other standards may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with them.

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu  
Director of Engineering Department

Dongguan Pulus Testing Technology Co., Ltd.  
Room 101, Building 1, No.20, Minghua Road, Shijiaz Toun, Dongguan, Guangdong, China.  
Tel: +86 769 81813516 E-mail: service@pulaotest.com Web: www.pulaotest.com

CE

CERTIFICATE OF CONFORMITY  
Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 25SP06193L01

Table A: Definition of variables:

| Variable: | Range of variable: | Content:                                                                                                                                                            |
|-----------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| XXX       | 050-560            | 3 digit numbers which represents 10 times the output voltage value in V. For example, 050 =5.0Vdc, 560=56.0Vdc. The rated output voltage is rising in steps of 0.1V |
| YYY       | 001 to 500         | 3 digit numbers which 100 times the output current value in A. For example, 001 =0.01A, 500 =5.0A. The rated output current is rising in steps of 0.01A             |

Table B: Model list and output rating:

| Model                 | Output voltage (Vdc) | Output current (A) | Max. Output Power (W) | Transformer (T1) type                                        |
|-----------------------|----------------------|--------------------|-----------------------|--------------------------------------------------------------|
| HH065U-XXXXXX-AG      | 5.0-15.0             | 0.01-5.0           | 65W                   | HH60-T1A<br>(A="A-Z" or "0-9" or blank, for marking purpose) |
| HH065U-XXXXXX-AB      | 15.1-30.0            | 0.01-4.3           | 65W                   | HH60-T2A<br>(A="A-Z" or "0-9" or blank, for marking purpose) |
| HH065U-XXXXXX-AX      | 30.1-41.9            | 0.01-2.16          | 65W                   | HH60-T3A<br>(A="A-Z" or "0-9" or blank, for marking purpose) |
| HH065U-XXXXXX-AXS-E   | 42.0-56.0            | 0.01-1.54          | 65W                   | HH60-T4A<br>(A="A-Z" or "0-9" or blank, for marking purpose) |
| HH065U-XXXXXX-EE      |                      |                    |                       |                                                              |
| HH065U-XXXXXX-EE-E    |                      |                    |                       |                                                              |
| HH065U-XXXXXX-EEZ-E   |                      |                    |                       |                                                              |
| HH065U-XXXXXX-AG-IP68 |                      |                    |                       |                                                              |
| HH065U-XXXXXX-AB-IP68 |                      |                    |                       |                                                              |
| HH065U-XXXXXX-AB-IP44 |                      |                    |                       |                                                              |

Approved By

Eric Liu  
Director of Engineering Department

Dongguan Pulus Testing Technology Co., Ltd.  
Room 101, Building 1, No.20, Minghua Road, Shijiaz Toun, Dongguan, Guangdong, China.  
Tel: +86 769 81813516 E-mail: service@pulaotest.com Web: www.pulaotest.com